

staron[®]
Solid Surfaces

Staron Hong Kong
VMV Trading Company Limited

Kelvin Chow
Tel: 6900 1886
Email: kelvinchow@vmvtrading.com
Email: cs@vmvtrading.com
Website: <https://www.vmvtrading.com>
Facebook: <https://www.facebook.com/Staronhk>

LOTTE CHEMICAL (SHANGHAI) CO., LTD.

Rm2701, Shanghai International Trade Center,
2201 West Yan An Rd, Shanghai, China. 200336
Tel. +86-21-6270-3000-326

乐天恺美材料科技（上海）有限公司
中国上海市延安西路2201号国际贸易中心 2701室
Tel. +86-21-6270-3000-326

STARON

Solid Surfaces
www.Staron.com



STRETCH YOUR IMAGINATION TO EXPERIENCE THE POSSIBILITIES WITH STARON.

WHY STARON ?

Staron® solid surface materials boast dimensional flexibility and low maintenance and is ideal for a multitude of interior applications. Comprised of a wide range of color and pattern options, Staron® is non-porous, ultra-hygienic and ultimately durable. The Tempest and Supreme collections offer high-transparent gemstone textures and elegant, refined vein patterns like natural marble.



RELIABLE PERFORMANCE

- Cutting-edge technology sets a new standard in surface
- Able to be inconspicuously repaired due to its homogenous composition



HYGIENIC SURFACE

- Non-porous surface inhibits growth of mold and bacteria
- Resistant to heat and abrasion
- Able to refurbish to a new condition



DIMENSIONAL FLEXIBILITY

- Thermo-formable into three-dimensional shapes
- Excellent workability enables virtually unlimited design possibilities



INFINITE RANGE OF COLORS

- Over 150 color options ranging from natural to vivid
- Ongoing collaboration with color trend experts keeps Staron commercially relevant



IMPERCEPTIBLE SEAMS

- Consistent color and texture on every sheet provides a smooth and seamless surface
- Installed without gaps, crevices, or obvious joint-lines



TRANSLUCENCY

- Creative back-lighting effects created by altering the thickness of the material to allow transmission from a low-energy light source



GLOBAL NETWORK

- Regional branch offices and product distribution networks worldwide



RELIABLE QUALITY

- Advanced quality control policy and a commercial 10-year warranty
- Certified eco-friendly by Greenguard and Scientific Certification System

NEW
Supreme

INTIMATE MOMENTS

The Supreme™ COLLECTION, A SHOWCASE OF NATURAL PATTERNS

The Supreme™ Collection is a unique category of acrylic solid-surface material featuring a natural, rhythmic pattern that is available in various color options suitable for a wide range of interior applications. Combining virtually infinite design possibilities with Staron® manufacturing technologies, the Supreme™ Collection delivers the next generation of high-performance surfaces for commercial spaces and discerning residential interiors.



NEW
Supreme




Ash Concrete VA129




Noir Concrete VN180



Cotton White




Cotton White VC110



Morning Sky VM114

Supreme



Dandelion VD175



Natural Bridge VN144



Magnolia VM143



Beige Granite VB172



Supreme



Cloudbank VC118



Ocean View VO171



Delphi VD111



Ocean View



Reno



Dawn VD126




Urban Grey VU127




Reno VR184

Supreme



Loam VL155




Presto VP159




Loam

NEW
Terrazzo
Collection




Terrazzo Venezi NT150



Terrazzo Como FT191

Terrazzo
Collection



Mosaic Dalmatian QD212



Quarry Starred QS288



Mosaic Dalmatian

NEW
Solid



COLOR HEALING

Distinct / Optimistic / Energizing

Color conveys simple yet powerful messages, and it contains numerous emotions. Intense colors communicate rich sensibility as well as lively and friendly atmosphere full of positive energy. These refreshing colors inspired by nature can be expected to have greater effects when harmonized with the existing STARON colors in various commercial spaces.

Ultramarine


brings tranquility and comfort to people with its positive color soothing effect. Blue energizes the space and at the same time calms the mind, giving a sense of comfort and relief.

Forest

is a vivid mint color with a hint of bluish green. It carries a pleasant, modern and outgoing mood. The positive energy of Forest gives life to the space and helps alleviate people's anxiety and depression, since it inherits healing aspects.

Piano Black


is a vivid black with an elegant, sophisticated and modern mood that can emphasize the sensual simplicity of a space when used within an appropriate color scheme. This is a timeless beauty that allows unlimited design.



Ultramarine
SU067



Forest
SFO61



Piano Black
GP790



Cave
SC089



Tusk
ST015





Moonstone
SM080



Champagne
SC040

Solid



Natural
SV041



Oasis
SO064



Sunflower(N)
SS042




California Poppy(N)
SC052




Univers(N)
SU053



Bliss
SB022




Iris
SI056




Onyx
ON095


Exterior wall
Cladding



Quasar White SQ019



Bright White BW010




Aspen Snow AS610




Sanded White Pepper WP410


Exterior wall
Cladding




Sanded Vermillion SV430




Sanded Cream SM421



Sanded Grey SG420



Pearl SPO11



Pure white SPO16




Pebble Swan PS813



Interior wall
Cladding







COLORS OF STARON


SUPREME 至高




NEW Ash Concrete
烧灰 VA129



NEW Noir Concrete
黑水泥 VN180



Cotton White
棉白 VC110



Morning Sky
晨空 VM114



Cloudbank
积云 VC118




Reno
里诺 VR184




Ocean View
海景 VO171




Dawn
黎明 VD126




Beige Granite
黄岗岩 VB172



Delphi
特尔斐 VD111



Magnolia
木兰 VM143




Dandelion
蒲公英 VD175




Natural Bridge
蓝桥 VN144



Urban Grey
都市灰 VU127



Loam
黏土 VL155




Presto
黑纱 VP159


TEMPEST 飓风



Meteor
流星 FM111




Horizon
拂晓 FH114




Shell
沙贝 FS115




Sonoma
甲骨 FS143




Bronzestar
青铜星 FB154



Coffee Bean
咖啡豆 FC158




Zenith
黑峰 FZ184




Caviar
鱼子酱 FC188


SANDED 麻石




NEW Sanded Loft
洛夫特 SLO71



Sanded Icicle
冰柱 SI414




Sanded Dover
砂鸽 SD413



Sanded Cream
奶油 SM421



Sanded White Pepper
白椒 WP410



Sanded Linen
亚麻 SL443




Sanded Sahara
撒哈拉 SS440




Sanded Gold Dust
金沙 SG441




Sanded Vermillion
五彩石 SV430



Sanded Heron
灰鹭 SH428



Sanded Grey
黑芝麻 SG420



Sanded Tundra
苔原 ST482




Sanded Taupe
灰褐 ST486



Sanded Chestnut
麻栗 SC457



Sanded Mocha
摩卡 SM453



Sanded Dark Nebula
大星云 DN421



Sanded Onyx
夜空 SO423

SOLID 净色



NEW Ultramarine
海蓝 SU067



NEW Forest
森林 SFO61



NEW Piano Black
钢琴黑 GP790




NEW Cave
山洞 SC089




NEW Tusk
象牙 ST015




NEW Moonstone
月光石 SM080



NEW Champagne
香槟 SCO40




Pure white
净白 SP016



Bright White
纯白 BW010



Quasar White
皓白 SQ019



Pearl
珍珠白 SP011



Natural
白玉 SV041



Sunflower(N)
向日葵 SS042



Oasis
绿洲 SO064



California Poppy(N)
加州橙 SC052



Univers(N)
火龙 SU053



Bliss
布利斯 SBO22



Steel
钢铁 ST023




Iris
鸢尾 SIO56




Onyx
黑玉 ON095


QUARRY 飓风




NEW Terrazzo Venezia
威尼斯 NT150



NEW Terrazzo Como
科摩 FT191



Mosaic Dalmatian
斑点 QD212




Quarry Starred(N)
星河 QS288


ASPEN 山峰



NEW Aspen Altai
阿尔泰 AA615



NEW Aspen Crema
油脂 AC673



NEW Aspen Attica
阿提卡 AA685



Aspen Glacier
冰河 AG612



Aspen Snow
雪山 AS610




Aspen Glow
萤白 AG636



Aspen Stucco
麦穗 AS644



Aspen Brown
矿砂 AB632



Aspen Mine
玄武岩 AM633

PEBBLE 晶岩



NEW Pebble Frost
冰晶 PF812



NEW Pebble Straw
稻草 PS819




NEW Pebble Iceland
冰岛 PI814



NEW Pebble Crema
乳酪 PC819



Pebble Swan
天鹅 PS813




Pebble Ice
雪冰 PI811




Pebble Moon
靚月 PM832




Pebble Saratoga
黄玉 PS820



Pebble Gold
金砖 PG840



Pebble Terrain
岩层 PT857




Pebble Chocolate
巧克力 PC855

METALLIC 金属



Metallic Yukon
木星 EY510



Metallic Sleeksilver(N)
皓银 ES582



Metallic Galaxy
土星 EG595

Eco-Friendly Materials, Staron

Printed representation of colors may vary from actual samples.

Please review actual sample prior to selection.


- To view new colors in greater detail, please visit www.staron.com



SINKS & BOWLS

Staron solid surface sinks and bowls are installed with the all-acrylic sheet in a seamless appearance for a smooth and polished fit. The continuous transition from sink to surface leaves no seams for bacteria or mold to accumulate and grow, thus Staron's non-porous solid surfaces are the most desirable choice for hygienic interior commercial applications. Staron sinks come in five following colors in ten popular models:


COLOR OPTIONS



Bright White BW010

Pearl SP011


Ivory SIO40



Pure white SP016



Quasar White SQ019

MOUNTING OPTIONS





NEW

B1212





- A 22.87in (581mm)
- B 4.8in (122mm)
- C 15.74in (400mm)
- D 17.75in (451mm)
- E 20.86in (530mm)
- F 7.28in (185mm)
- G 7.87in (200mm)
- H 3.54in (90mm)

B1177



- A 17.71in (450mm)
- B 4.72in (120mm)
- C 17.71in (450mm)
- D 19.68in (500mm)
- E 15.74in (400mm)
- F 7.28in (185mm)
- G 7.87in (200mm)
- H 3.54in (90mm)

B1160




- A 17.32in (440mm)
- B 4.4in (112mm)
- C 15.74in (400mm)
- D 17.32in (440mm)
- E 15.74in (400mm)
- F 11.81in (300mm)
- G 12.79in (325mm)
- H 3.54in (90mm)

KITCHEN / UTILITY SINKS


LAVATORY SINKS / BASINS

A2311




- A 31.25in (794mm)
- B 4.33in (110mm)
- C 16.57in (421mm)
- D 18.93in (481mm)
- E 13.70in (348mm)
- F 9.25in (235mm)
- G 9.84in (250mm)
- H 3.54in (90mm)

A1121




- A 12.83in (326mm)
- B 14.01in (356mm)
- C 16.37in (416mm)
- D 10.47in (266mm)
- E 6.49in (165mm)
- F 7.08in (180mm)
- G 3.54in (90mm)

A1231




- A 23.30in (592mm)
- B 16.61in (422mm)
- C 18.97in (482mm)
- D 20.94in (532mm)
- E 7.36in (187mm)
- F 7.95in (202mm)
- G 3.54in (90mm)

A3211




- A 21.57in (548mm)
- B 3.38in (86mm)
- C 14.01in (356mm)
- D 15.59in (396mm)
- E 20.00in (508mm)
- F 6.14in (156mm)
- G 6.81in (173mm)
- H 1.77in (45mm)

A3181




- A 18.18in (462mm)
- B 3.70in (94mm)
- C 13.22in (336mm)
- D 14.80in (376mm)
- E 16.61in (422mm)
- F 5.47in (139mm)
- G 6.14in (156mm)
- H 1.77in (45mm)

A1181




- A 18.11in (460mm)
- B 15.75in (400mm)
- C 18.11in (460mm)
- D 15.75in (400mm)
- E 8.18in (208mm)
- F 8.85in (225mm)
- G 3.54in (90mm)

B3290




- A 29.52in (750mm)
- B 15.75in (400mm)
- C 17.64in (450mm)
- D 27.48in (700mm)
- E 7.28in (185mm)
- F 7.87in (200mm)
- G 3.54in (90mm)

B3180




- A 17.67in (450mm)
- B 15.75in (400mm)
- C 17.67in (450mm)
- D 15.75in (400mm)
- E 6.89in (175mm)
- F 7.48in (190mm)
- G 3.54in (90mm)

B3150





- A 16.81in (427mm)
- B 10.94in (278mm)
- C 12.87in (327mm)
- D 14.88in (378mm)
- E 4.57in (116mm)
- F 5.43in (138mm)
- G 1.77in (45mm)

B3190





- A 20.63in (524mm)
- B 10.79in (274mm)
- C 12.87in (327mm)
- D 18.66in (474mm)
- E 4.57in (116mm)
- F 5.43in (138mm)
- G 1.77in (45mm)

B3200





- A 21.65in (550mm)
- B 5.51in (140mm)
- C 11.02in (280mm)
- D 12.99in (330mm)
- E 19.68in (500mm)
- F 4.72in (120mm)
- G 5.51in (140mm)
- H 1.73in (44mm)

B3192



- A 20.86in (530mm)
- B 3.5in (89mm)
- C 12.59in (320mm)
- D 14.56in (370mm)
- E 18.89in (480mm)
- F 4.76in (121mm)
- G 5.55in (141mm)
- H 1.73in (44mm)

A3148



- A 14.8in (376mm)
- B 6.88in (175mm)
- C 13.77in (350mm)
- D 14.8in (376mm)
- E 13.77in (350mm)
- F 3.81in (97mm)
- G 4.52in (115mm)
- H 1.73in (44mm)

PERFORMANCE PROPERTIES


The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. and subsidiaries and affiliates for information purposes only and should be used by individuals with technical experience and knowledge in the area. LOTTE CHEMICAL does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.

PROPERTY	TEST RESULT	TEST PROCEDURE
Tensile strength	6,000 psi	ASTM D 638
Tensile modulus	600,000 psi	ASTM D 638
Flexural strength	10,000 psi	ASTM D 790
Flexural modulus	1,000,000 psi	ASTM D 790
Elongation	0.5%	ASTM D 638
Hardness	92 Rockwell "M" Scale 65 Barcol impressor	ASTM D 785 ASTM D 2583
Thermal expansion	2.0x10 ⁻⁵ in/in F°	ASTM D 696
Gloss (60 Gardner)	Between 5-20	NEMA LD-3
Color stability	No change-200hrs	NEMA LD-3
Stain resistance	Passed Rating 41	ANSIZ 124
Abrasion resistance	Passed	ANSIZ 124
Boiling water surface resistance	No effect	NEMA LD-3
High temperature resistance	No effect	NEMA LD-3
IZON Impact resistance (Notched)	0.28ft. lbf/in	ASTM D 256
Ball drop 1/2" (12 mm) sheet	144"w/1/2lb ball No failure	NEMA LD-3
Fungi and Bacterial resistance	No growth	ASTM G 21, G22
Specific gravity Solid colors Patterened colors	1.72 1.69	ASTM D 792
Water absorption	0.04%, (1/2", 24hrs) 0.11%, (1/8", 24hrs)	ASTM D 570
Flammability Flame spread Smoke density	Class A/Class 1 10 10	UBC 8-1 ASTM E 84 ASTM E 84
Radiant heat resistance	No visual effect	NEMA LD-3
Toxicity	84.4g (Solid color) 81.8g (Patterened color)	Pittsburgh test protocol (LC50 Test)

PRODUCT DIMENSIONS

COLLECTION


Solid, Sanded,
Aspen, Pebble,
Quarry, Metallic,
Tempest,
Supreme



THICKNESS	WIDTH	LENGTH
mm	mm	mm
12 (1/2")	760 (30")	3,680 (145")

COLLECTION

Solid, Sanded,
Aspen, Metallic



THICKNESS	WIDTH	LENGTH
mm	mm	mm
6 (1/4")	760 (30")	2,500 (98")

- Bright White with wider widths is available. Widths of 1350mm and 930mm with the thickness of 6mm, 9mm and 12mm are available.
- Panel thicknesses of 9mm and 19mm available on request.
- 6mm thickness sheet is not recommended for horizontal application.
- If there is a specific dimension or size that is required for a particular project, please consult with the local agent or distributor.

STARON® 10-YEAR LIMITED WARRANTY

The 10-year warranty applies to Staron, Tempest and Supreme Collection products that have been installed in an interior, commercial-use or residential application.

For more details, please consult with your Staron products distributor, or visit www.staron.com

DISCLAIMER

The information contained herein is provided by LOTTE CHEMICAL Co., Ltd. for information purposes only and should be used by individuals with technical experience and knowledge in the area.

LOTTE CHEMICAL Co., Ltd. does not make any representation or warranties of the usefulness or expected result of the information, and does not assume any responsibility whatsoever related to the use of the information. Exclusion of the implied warranties may not apply in certain jurisdictions.